




All School's Specific Notes

02 41 19 002	Dashed lines indicated extent of demoed work
02 41 19 010	Repair demoed to remain with like material
08 71 00 001	Replace all door hardware with new at existing leaf
09 30 13 001	Install new floor tile; slope to floor drain is drain provided
09 30 13 004	Prep surface for new tile install; contractor shall be responsible for issues concerning lack of adhesion between mortar and substrates as well as levelness of finished tile
09 30 13 005	Install new wall tile flush and straight, floor to ceiling at this plumbing wall only
09 51 23 002	Install ATC as wall from ceiling level up to roof/floor deck
10 21 13.19 001	Install new toilet partitions (typical)
10 28 13 001	Install wall hung mirror here; center over fixture unless noted otherwise
10 28 13 002	Install hand dryer here; coordinate with electrical & mechanical
22 42 00 001	Coordinate new fixture installations with mechanical, typical for new
22 42 00 002	New fixtures only in this toilet room; coordinate with mechanical
22 47 13 001	Install double drinking fountain here; coordinate with mechanical & electrical drawings
22 47 13 002	Install single drinking fountain here with bottle filler attachment; coordinate with mechanical & electrical drawings



Wall Standards  
1/2" = 1'-0"



1 Typical Toilet Room Wall  
1/2" = 1'-0"



Front of School



Boys 49



Girls 50



Boys 57



Girls 59



Boys 86



Girls 85

Architects

One Jackson Place 250  
188 East Capitol Street  
Jackson, MS 39201  
p 601.352.5411

201 Park Court Suite B  
Ridgeland, MS 39157  
p 601.790.9432

161 Lameuse St. Suite 201  
Biloxi, MS 39530  
p 228.374.1409

dalebaileyplans.com

Not For Construction

Sunflower Consolidated School District ESSER 2&3 Phase I  
Ruleville Elementary School: 410 L F Packer Dr. Ruleville, MS 38771

Construction Documents

Project No	21027
Date	Issue Date
Revisions	Rev Date








**Not For Construction**

**Sunflower Consolidated School District ESSER 2&3 Phase I**  
Ruleville Elementary School: 410 L F Packer Dr. Ruleville, MS 38771


Construction Documents  
Project No 21027  
Date Issue Date  
Revisions Rev Date



**Specific Notes**

22 42 00 002	New fixtures only in this toilet room; coordinate with mechanical
22 47 13 001	Install double drinking fountain here; coordinate with mechanical & electrical drawings
22 47 13 002	Install single drinking fountain here with bottle filler attachment; coordinate with mechanical & electrical drawings

**2 Composite Floor Plan**  
3/32" = 1'-0"




- 2 A-041f
- 3 A-141f


General RCP Notes

- All ceiling heights shall be same as existing or lower, unless noted otherwise.
- Contractor shall paint all surfaces above 8'-8" at wall, roof, and ceiling, as well as anything attached therein at all exposed sections of ceilings where not covered by new 2x2 ACT, unless noted otherwise.
- Repair/replace any and all ceiling damaged due to construction activities.
- Bent ceiling grid damaged due to construction activities shall be replaced or bent to appear as new in shape.

Contractor shall paint all surfaces above 10'-8" at wall, roof, and ceiling, as well as anything attached therein at all exposed sections of ceilings where not covered by new 2x2 ACT, in this room



3 Cafeteria - New Construction  
1/8" = 1'-0"




2 Typical Ceiling Layout  
1/4" = 1'-0"

Ceiling Legend

- Moisture Resistant Acoustical Lay In Ceiling
- Colored Acoustical Lay In Ceiling
- Vinyl Faced Acoustical Lay In Ceiling
- Gypsum Board Ceiling
- 2x2 Acoustical Lay In Ceiling
- Plaster/Stucco
- Concealed Fastender Painted Metal Soffit
- 2x2 Fluorescent Fixture
- Surface-Mounted Fluorescent Light Fixture
- Recessed Can Light Fixture
- HVAC Supply Grille
- HVAC Return Grille
- Exterior Wall Light
- Interior Wall Light
- Open to Structure (OTS)



Specific Notes

09 51 23 002 Install ATC as wall from ceiling level up to roof/floor deck




1 RCP - New Construction  
1/8" = 1'-0"


2  
A-141f







1 Toilets - NW Bank - Existing  
1/2" = 1'-0"



2 Toilets - NW Bank - New Construction  
1/2" = 1'-0"

**General Demolition Notes**

- Where floor transitions from new floor to existing floor, a floor transition strip is to be provided. A knock-down frame is to be provided in place of the existing frame where the opening is a part of corridor.
- Remove all existing flooring, ceiling tile, rubber base, etc., where shown to be replaced by new materials in the finish schedule. RE: Floors plans, RCP, and Finish Schedule
- Owner has right of refusal for all demo work. If not retained, GC to be responsible for disposal.
- Verify all existing conditions. Notify architect of any discrepancies between the existing conditions and these documents. The Contractor is to consider the additional work required by any discrepancies to be included in this Contract.
- Burying or Burning of materials will not be permitted on site.
- Repair any damage caused to building construction identified to remain.
- Refer to other discipline drawings for additional demolition information as noted.
- Schedule with the Owner any demolition that involves exposing to the weather the interior portions of building to remain. This work is to be performed during good, dry weather or temporary waterproof barrier walls shall be constructed at all occurrences where the demolition exposes weather to the interior of portions of buildings to remain.
- Existing loose school property to be the responsibility of the school district, removal of property by owner to be coordinated between the contractor and school district.
- Where areas are removed or altered, patch, repair, & paint to match adjacent surface material and finish.
- Remove partitions and existing fixtures.

**Specific Notes**

02 41 19 002	Dashed lines indicated extent of demoed work
10 28 13 001	Install wall hung mirror here; center over fixture unless noted otherwise
10 28 13 002	Install hand dryer here; coordinate with electrical & mechanical
22 42 00 001	Coordinate new fixture installations with mechanical, typical for new

**General Finish Plan Notes**

- Patch tile at all floors and walls with matching material where missing or removed due to construction, unless noted otherwise.
- Install new grab bars at all ADA & AMB toilets
- Install moisture resistant back board at all new tile.
- Clean and reseat grout at floor tile.
- Wash down and clean all FRP to remain.

**DALE BAILEY**  
AN ASSOCIATION


Architects

One Jackson Place 250  
188 East Capitol Street  
Jackson, MS 39201  
p 601.352.5411

201 Park Court Suite B  
Ridgeland, MS 39157  
p 601.790.9432

161 Lameux St. Suite 201  
Biloxi, MS 39530  
p 228.374.1409

dalebaileyplans.com




Sunflower Consolidated School District ESSER 2&3 Phase I  
Ruleville Elementary School: 410 L F Packer Dr. Ruleville, MS 38771

Construction Documents


Project No	21027
Date	Issue Date
Revisions	Rev Date

A-401f  
Toilets NW







1 Toilets - Central Bank E - Existing  
1/2" = 1'-0"



3 Toilets - Central Bank W - Existing  
1/2" = 1'-0"



2 Toilets - Central Bank E - New Construction  
1/2" = 1'-0"



4 Toilets - Central Bank W - New Construction  
1/2" = 1'-0"

General Demolition Notes

- Where floor transitions from new floor to existing floor, a floor transition strip is to be provided. A knock-down frame is to be provided in place of the existing frame where the opening is a part of corridor.
- Remove all existing flooring, ceiling tile, rubber base, etc., where shown to be replaced by new materials in the finish schedule. RE: Floors plans, RCP, and Finish Schedule
- Owner has right of refusal for all demo work. If not retained, GC to be responsible for disposal.
- Verify all existing conditions. Notify architect of any discrepancies between the existing conditions and these documents. The Contractor is to consider the additional work required by any discrepancies to be included in this Contract.
- Burying or Burning of materials will not be permitted on site.
- Repair any damage caused to building construction identified to remain.
- Refer to other discipline drawings for additional demolition information as noted
- Schedule with the Owner any demolition that involves exposing to the weather the interior portions of building to remain. This work is to be performed during good, dry weather or temporary waterproof barrier walls shall be constructed at all occurrences where the demolition exposes weather to the interior of portions of buildings to remain.
- Existing loose school property to be the responsibility of the school district, removal of property by owner to be coordinated between the contractor and school district.
- Where areas are removed or altered, patch, repair, & paint to match adjacent surface material and finish.
- Remove partitions and existing fixtures.


Specific Notes

02 41 19 002	Dashed lines indicated extent of demoed work
02 41 19 010	Repair demoed to remain with like material
10 21 13.19 001	Install new toilet partitions (typical)
10 28 13 001	Install wall hung mirror here: center over fixture unless noted otherwise
10 28 13 002	Install hand dryer here: coordinate with electrical & mechanical
22 42 00 001	Coordinate new fixture installations with mechanical, typical for new


General Finish Plan Notes

- Patch tile at all floors and walls with matching material where missing or removed due to construction, unless noted otherwise.
- Install new grab bars at all ADA & AMB toilets
- Install moisture resistant back board at all new tile.
- Clean and reseal grout at floor tile.
- Wash down and clean all FRP to remain.





**1** Toilets - East Bank - Existing  
1/2" = 1'-0"



**2** Toilets - East Bank - New Construction  
1/2" = 1'-0"

**General Finish Plan Notes**

1. Patch tile at all floors and walls with matching material where missing or removed due to construction, unless noted otherwise.
2. Install new grab bars at all ADA & AMB toilets.
3. Install moisture resistant back board at all new tile.
4. Clean and reseat grout at floor tile.
5. Wash down and clean all FRP to remain.

**Specific Notes**

02 41 19 002	Dashed lines indicated extent of demoed work
09 30 13 001	Install new floor tile; slope to floor drain is drain provided
09 30 13 004	Prep surface for new tile install; contractor shall be responsible for issues concerning lack of adhesion between mortar and substrates as well as levelness of finished tile
10 21 13.19 001	Install new toilet partitions (typical)
10 28 13 001	Install wall hung mirror here; center over fixture unless noted otherwise
10 28 13 002	Install hand dryer here; coordinate with electrical & mechanical
22 42 00 001	Coordinate new fixture installations with mechanical, typical for new

**General Demolition Notes**

1. Where floor transitions from new floor to existing floor, a floor transition strip is to be provided. A knock-down frame is to be provided in place of the existing frame where the opening is a part of corridor.
2. Remove all existing flooring, ceiling tile, rubber base, etc... where shown to be replaced by new materials in the finish schedule. RE: Floors plans, RCP, and Finish Schedule
3. Owner has right of refusal for all demo work. If not retained, GC to be responsible for disposal.
4. Verify all existing conditions. Notify architect of any discrepancies between the existing conditions and these documents. The Contractor is to consider the additional work required by any discrepancies to be included in this Contract.
5. Burying or Burning of materials will not be permitted on site.
6. Repair any damage caused to building construction identified to remain.
7. Refer to other discipline drawings for additional demolition information as noted
8. Schedule with the Owner any demolition that involves exposing to the weather the interior portions of building to remain. This work is to be performed during good, dry weather or temporary waterproof barrier walls shall be constructed at all occurrences where the demolition exposes weather to the interior of portions of buildings to remain.
9. Existing loose school property to be the responsibility of the school district, removal of property by owner to be coordinated between the contractor and school district.
10. Where areas are removed or altered, patch, repair, & paint to match adjacent surface material and finish.
11. Remove partitions and existing fixtures.

Architects  
One Jackson Place 250  
188 East Capitol Street  
Jackson, MS 39201  
p 601.352.5411  
  
201 Park Court Suite B  
Ridgeland, MS 39157  
p 601.790.9432  
  
161 Lameuse St. Suite 201  
Biloxi, MS 39530  
p 228.374.1409  
  
dalebaileyplans.com

**Not For Construction**

Sunflower Consolidated School District ESSER 2&3 Phase I  
Ruleville Elementary School: 410 L F Packer Dr. Ruleville, MS 38771

Construction Documents

Project No	21027
Date	Issue Date
Revisions	Rev Date