



11/3/2022 2:56:59 PM
C:\Users\pmpur\Documents\22034 Meridian High_paulpursesY2QHY.rvt

1

Site Plan

1" = 80'-0"




Meridian School District Bond Issue

Meridian SR High School: 32nd Street, Meridian, MS 39305


Schematic Design	
Project No	22034
Date	November 8, 2022
Revisions	Rev Date
Drawn	PPu
Checked	RBI

11/3/2022 2:56:55 PM
C:\Users\pmpur\Documents\22034 Meridian High_paulpurser\20HY.rvt

1 Floor Plan
1/8" = 1'-0"



2 Floor Plan - Admin
1/4" = 1'-0"



- General Enlarged Plan Notes
1. All interior walls to be type "B1" UNO
 2. All furniture shown in plan is NIC.
 3. All flooring is to extend underneath casework.
 4. All door frames in masonry wall to be located 8" off perpendicular wall (typ.) unless indicated otherwise. All door frames in metal stud walls to be located 4" off perpendicular walls (typ.) unless indicated otherwise. Provide min. clear of 12" on push side of door and 18" on pull side.
 5. Reference building elevations (A-200 Sheets) for exterior control joint locations.
 6. All DS tie into boot and underground water line unless otherwise noted, see Civil.
 7. See AG series sheets for floor finish patterns.
 8. All CMU wall corners & window sills to have 1" diameter radius. Bottom course of CMU corners are not to be radiused to receive finish base as scheduled.
 9. All backsides of bathroom partition doors and single unit restroom doors to have a Coat Hook (CH) installed.
 10. All dimensions are to interior finish face U.N.O.

DALE
BAILEY
AN ASSOCIATION

Architects
One Jackson Place 250
188 East Capitol Street
Jackson, MS 39201
p 601.352.5411
201 Park Court Suite B
Ridgeland, MS 39157
p 601.790.9432
161 Lameuse St. Suite 201
Biloxi, MS 39530
p 228.374.1409
dalebaileyplans.com

Meridian School District Bond Issue
Meridian SR High School: 32nd Street, Meridian, MS 39305

Schematic
Design
Project No 22034
Date November 8, 2022
Revisions Rev Date
Drawn PPU
Checked RBI

A-101
Composite Floor Plan

